

Led	Sortskode	Sort	Udbytte i Hkg/ha				Dyrkningsegenskaber (observations-parceller)						Kvalitetsegenskaber							
			Antal fs.	Varde	Koldkærgård	Gns.	FHT	Pct. dækning			Karakter: 1-9			Kernekvalitet		Faldtal, sek.		Foderkvalitet		
								Brunrust	Skoldplet	Strælængde, cm	Skridning, dato	Lejesæd, Skala: 0-10	Brunrust	Skoldplet	Lejesæd	Rumvægt, g pr, liter	Protein, pct	Kornvægt, mg pr, korn	Varde	Koldkærgård
			10	12		10	12		2	2										
1	9062	Blanding		88.4	84.4	86.4	100	14	9				7	5	743	9.1				
2	31566	KWS Tayo		87.4	89.5	88.5	102	14	11				7	6	743	9.3				
3	31571	KWS Berado		84.5	83.3	83.9	97	16	7				8	4	754	9.3				
4	33259	KWS Rotor		91.7	92.0	91.9	106	14	11				7	6	731	8.6				
5	33262	KWS Igor		91.3	94.8	93.1	108	20	9				9	5	742	9.2				
6	34075	KWS Pulsor		86.4	90.1	88.3	102	8	12				6	6	731	8.9				
7	34846	KWS Emphor		83.0	84.0	83.5	97	10	11				7	6	739	9.2				
8	34882	SU Arvalus+10% population		85.7	95.8	90.8	105	6	14				5	7	760	9.8				
9	34885	HYH327+10% population		86.0	99.0	92.5	107	7	8				5	5	743	9.7				
10	35743	KWS Cursor		86.5	89.2	87.9	102	12	9				7	5	733	9.3				
11	35746	KWS Fidalgor AV		87.9	87.9	87.9	102	13	10				7	6	739	9.5				
12	35747	KWS Wisdor AA		87.6	90.6	89.1	103	8	12				6	6	731	9.4				
13	36510	SU Sigurd		90.0	94.2	92.1	107	12	8				7	5	742	9.8				
14	36511	SU Jalo		88.6	101.1	94.9	110	11	9				7	5	740	10.0				
15	36512	HYH-359		90.7	99.2	95.0	110	8	7				6	4	759	9.7				
16	36513	HYH-360		93.8	95.6	94.7	110	9	10				6	6	756	10.0				
17	36515	HYH-362		84.3	101.4	92.9	108	7	9				5	5	739	9.5				
18	36519	HYH-365		93.9	105.9	99.9	116	7	10				5	6	739	9.1				
19	36520	HYH-366		86.4	104.7	95.6	111	8	9				6	5	759	9.0				
20	36521	HYH-367		93.0	103.5	98.3	114	8	10				6	6	742	9.3				
21	36522	HYH-371		91.3	102.0	96.7	112	9	12				6	6	753	9.2				
22	36537	KWS Rixor		88.2	90.5	89.4	103	12	6				7	4	733	9.5				
23	36540	KWS Feldor		89.2	85.3	87.3	101	12	9				7	5	745	9.2				
24	36544	KWS Valentor		91.7	88.6	90.2	104	13	9				7	5	746	8.9				
25	36546	KWS Esthor		90.4	96.0	93.2	108	13	4.9				7	3	759	9.7				
26	36548	KWS Elladanor		86.7	87.5	87.1	101	10	6				7	4	751	9.9				
27	36564	HYH 343+10% pop		81.3	90.9	86.1	100	9	8				6	5	747	9.9				
28	37431	HYH-364		87.8	103.7	95.8	111	4.1	8				4	5	757	9.0				
29	37432	HYH-372		86.7	98.9	92.8	107	9	9				6	5	745	9.7				
30	37433	HYH-374		96.6	94.3	95.5	111	3	4.5				4	3	737	9.4				
31	37434	HYH-377		90.3	92.0	91.2	106	5	10				5	6	743	10.3				
32	37435	HYH-378		88.0	93.6	90.8	105	4.1	9				4	5	742	10.0				
33	37436	HYH-379		96.9	97.4	97.2	113	17	4.9				8	3	742	9.4				
34	37437	HYH-380		90.2	96.6	93.4	108	3.3	6				4	4	757	9.7				
35	37438	HYH-382		95.8	103.9	99.9	116	3.9	9				4	5	744	9.6				
36	37461	KWS-H262		90.5	88.1	89.3	103	10	12				7	6	738	9.4				
37	37471	KWS-H263		94.0	93.1	93.6	108	11	8				7	5	758	8.9				
38	37473	KWS-H264		92.6	94.2	93.4	108	16	7				8	4	742	9.6				
39	37475	KWS-H265		88.5	93.1	90.8	105	12	8				7	5	741	9.8				
40	37477	KWS-H266		92.0	92.0	92.0	106	14	9				7	5	749	9.0				
41	37549	HYH-367+10% populati		93.1	101.1	97.1	112	9	11				6	6	740	9.4				
42	37550	SU Sigurd+10% populati		89.5	95.1	92.3	107	10	8				7	5	745	9.7				
43	37551	KWS H-253		87.6	92.8	90.2	104	14	5				7	4	751	9.8				
LSD 0.05				4.3	6.5	3.9	5													
GNS UDBYTT				89.4	94.3															

Udbytte i Hkg/ha korrigeret til 85 % tørstof

Varde	Koldkærgård	Gns.	Rækkefølge
110 HYH-379	125 HYH-365	116 HYH-365	1
109 HYH-374	124 HYH-366	116 HYH-382	2
108 HYH-382	123 HYH-382	114 HYH-367	3
106 KWS-H263	123 HYH-364	113 HYH-379	4
106 HYH-365	123 HYH-367	112 HYH-367+10% po	5
106 HYH-360	121 HYH-371	112 HYH-371	6
105 HYH-367+10% po	120 HYH-362	111 HYH-364	7
105 HYH-367	120 SU Jalo	111 HYH-366	8
105 KWS-H264	120 HYH-367+10% po	111 HYH-374	9
104 KWS-H266	118 HYH-359	110 HYH-359	10
104 KWS Rotor	117 HYH327+10% pop	110 SU Jalo	11
104 KWS Valentor	117 HYH-372	110 HYH-360	12
103 KWS Igor	115 HYH-379	108 KWS-H263	13
103 HYH-371	114 HYH-380	108 HYH-380	14
103 HYH-359	114 KWS Esthor	108 KWS-H264	15
102 KWS-H262	114 SU Arvalus+10%	108 KWS Esthor	16
102 KWS Esthor	113 HYH-360	108 KWS Igor	17
102 HYH-377	113 SU Sigurd+10%	108 HYH-362	18
102 HYH-380	112 KWS Igor	107 HYH-372	19
102 SU Sigurd	112 HYH-374	107 HYH327+10% pop	20
101 SU Sigurd+10%	112 SU Sigurd	107 SU Sigurd+10%	21
101 KWS Feldor	112 KWS-H264	107 SU Sigurd	22
100 SU Jalo	111 HYH-378	106 KWS-H266	23
100 KWS-H265	110 KWS-H263	106 KWS Rotor	24
88.4 Blanding	110 KWS-H265	106 HYH-377	25
100 KWS Rixor	110 KWS H-253	105 HYH-378	26
100 HYH-378	109 KWS Rotor	105 KWS-H265	27
99 KWS Fidalgor A	109 HYH-377	105 SU Arvalus+10%	28
99 HYH-364	109 KWS-H266	104 KWS H-253	29
99 KWS Wisdor AA	108 HYH 343+10% po	104 KWS Valentor	30
99 KWS H-253	107 KWS Wisdor AA	103 KWS Rixor	31
99 KWS Tayo	107 KWS Rixor	103 KWS-H262	32
98 KWS Elladanor	107 KWS Pulsor	103 KWS Wisdor AA	33
98 HYH-372	106 KWS Tayo	102 KWS Tayo	34
98 KWS Cursor	106 KWS Cursor	102 KWS Pulsor	35
98 KWS Pulsor	105 KWS Valentor	102 KWS Fidalgor A	36
98 HYH-366	104 KWS-H262	102 KWS Cursor	37
97 HYH327+10% pop	104 KWS Fidalgor A	101 KWS Feldor	38
97 SU Arvalus+10%	104 KWS Elladanor	101 KWS Elladanor	39
96 KWS Berado	101 KWS Feldor	86.4 Blanding	40
95 HYH-362	84.4 Blanding	100 HYH 343+10% po	41
94 KWS Emphor	100 KWS Emphor	97 KWS Berado	42
92 HYH 343+10% po	99 KWS Berado	97 KWS Emphor	43
5 LSD 0.05	8 LSD 0.05	5 LSD 0.05	44

Translations

Afgrødehøjde	<i>Crop height</i>	Stabilitet	<i>Stability</i>
Blomstring	<i>Flowering</i>	Standardkvalitet	<i>Standard quality</i>
Blødgøring	<i>Softening</i>	Stivelsesindhold	<i>Starch content</i>
Brunrust	<i>Brown rust (Puccinia recondita)</i>	Strå længde, cm	<i>Straw length</i>
Brødhøjde	<i>Bread height</i>	Udbytte	<i>Yield</i>
Brødvolumen	<i>Bread volume</i>	Vandoptagelse	<i>Water absorption</i>
Bygrust	<i>Barley Rust (Puccinia hordei)</i>		
Dyrkningsegenskaber	<i>Agronomic traits</i>		
EFOSi	<i>Enzyme digestible organic matter at ileum</i>		
EFOSsvin	<i>Enzyme digestible organic matter in pigs</i>		
Erucasyre	<i>Erucic acid</i>		
FEso pr. hkg	<i>Feed units, adult pigs</i>		
FEsv pr. hkg	<i>Feed units, growing pigs</i>		
fht	<i>Index</i>		
Faldtal	<i>Falling number</i>		
Foderkvalitet	<i>Feed quality</i>		
Frøkvalitet	<i>Seed quality</i>		
Frøvægt	<i>Seed weight</i>		
Glucosinolatindhold	<i>Glucosinolate content</i>		
Gluten i kerner (14% vand)	<i>Gluten content in grains at 14 % water</i>		
Gns.	<i>Average</i>		
Gråplet/brunplet	<i>Septoria tritici/Stagonospora nodorum</i>		
Gulrust	<i>Yellow rust (Puccinia striiformis)</i>		
hkg/ha korrigeret til 85 % tørstof	<i>hkg/ha adjusted to 85% dry matter</i>		
Hvedebladplet	<i>Tan spot, DTR (Pyrenophora tritici-repentis)</i>		
Karakter	<i>Score</i>		
Kernekvalitet	<i>Grain quality</i>		
Klæbrighed	<i>Stickyness</i>		
Kornvægt, mg pr. korn	<i>Thousand kernel weight (mg/kg)</i>		
Kvalitetsegenskaber	<i>Quality traits</i>		
Led	<i>Entry</i>		
Lejesæd	<i>Lodging</i>		
Linolénsyre	<i>Linolenic acid</i>		
Linolsyre	<i>Linoleic acid</i>		
Meldug	<i>Mildew (Erysiphe graminis)</i>		
Meludbytte	<i>Flour yield</i>		
Modning, dato	<i>Ripeningdate</i>		
Nedknækning, aks	<i>Necking</i>		
Nedknækning, strå	<i>Brackling</i>		
Observations-parceller	<i>Observation-plots</i>		
Olieindhold	<i>Oil content</i>		
Oliesyre	<i>Oleic acid</i>		
Plantedække st. 14-15	<i>Plant cover stadium 14-15 (BBCH)</i>		
Plantehøjde	<i>Plant height</i>		
Proteinindhold, pct.	<i>Protein content</i>		
Ramularia	<i>Ramularia (Ramularia collo-cygni)</i>		
Rumvægt, g pr. liter	<i>Specific weight</i>		
Sedimentation	<i>Zeleny sedimentation value</i>		
Skala	<i>Scale</i>		
Skoldplet	<i>Leaf Blotch (Rhynchosporium secalis)</i>		
Sort	<i>Variety</i>		
Sort., pct. kerner > 2,5 mm	<i>Grading, pct. kernels > 2.5 mm</i>		
Sort., pct. kerner > 2,8 mm	<i>Grading, pct. kernels > 2.8 mm</i>		
Sortskode	<i>Variety code</i>		